



ಭಾ. ಕೃ. ಅನು. ಪ - ಭಾರತೀಯ ತೋಟಗಾರಿಕಾ ಸಂಶೋಧನಾ ಸಂಸ್ಥೆ  
ಹೆಸರಗಟ್ಟೆ ಲೇಕ್ ಪೋಸ್ಟ್, ಬೆಂಗಳೂರು-560 089

ಭಾ.ಕೃ.ಅನು.ಪ.- ಭಾರತೀಯ ಬಾಗವಾನಿ ಅನುಸಂಧಾನ ಸಂಸ್ಥಾನ  
ಹೆಸರಗಟ್ಟೆ ಲೇಕ್ ಪೋಸ್ಟ್, ಬೆಂಗಳೂರು - 560 089  
**ICAR-Indian Institute of Horticultural Research**  
Hesaraghatta Lake Post, Bengaluru - 560 089



EPABX: 080-23086100 Extn: 218 & 217

FAX: 080-28466291 – Email: purchase.ihr@icar.gov.in

F.No.5-48/2023-24/SP/IIHR/

Dated: 09.11.2023

### NOTICE FOR INVITING TENDER THROUGH E-PROCUREMENT

Online Bids are invited from interested firms under **Two bid system (Technical bid/financial bid)** for **Construction of passage for internal movement between Seed Unit I (new building) to old Seed unit building, Repair and renovation to windows and ventilators at old Seed Unit, & Providing Vacuum Dewatered Flooring for Seed Unit threshing floor at ICAR-IIHR Bangalore** Manual bids will not be entertained.

Tender documents may be downloaded from e-procurement website of CPPP <https://eprocure.gov.in/eprocure/app> as per the schedule given in CRITICAL DATE SHEET as under:

### CRITICAL DATE SHEET

Tender No.	F.No.5-48/2023-24/SP/IIHR/
Name of Organization	ICAR-INDIAN INSTITUTE OF HORTICULTURAL RESEARCH, Hesaraghatta Lake Post, Bangalore
Date and Time for Issue/Publishing	09.11.2023 at 05:00 PM
Document Download/Sale Start Date and Time	09.11.2023 at 05:00 PM
Bid Submission start Date and Time	09.11.2023 at 05:00 PM
Bid Submission End Date and Time	08.12.2023 at 03:00 PM
Date and Time for Opening of Technical Bids	11.12.2023 at 10:00 AM
Address for Communication	Senior Administrative Officer (Purchase), IIHR, Hesaraghatta Lake Post, Bangalore

Sd/-  
CHIEF ADMINISTRATIVE OFFICER

INSTRUCTIONS FOR ONLINE BID SUBMISSION

1. The Tender form/bidder documents may be downloaded from the <https://eprocure.gov.in/eprocure/app>. **Online submission of Bids through Central Public Procurement Portal (<https://eprocure.gov.in/eprocure/app>)** is mandatory. Manual/Offline bids shall not be accepted under any circumstances.
2. Tenderers/bidders are requested to visit the website <https://eprocure.gov.in/eprocure/app> regularly. Any changes/modifications in tender enquiry will be intimated by corrigendum through this website only.
3. In case, any holiday is declared by the Government on the day of opening, the tenders will be opened on the next working day at the same time. The Council reserves the right to accept or reject any or all the tenders.
4. The Firms are required to deposit (in original) **EMD of Rs.32,000/-** in the shape of Demand Draft in favour of **THE DIRECTOR, ICAR, UNIT-IIHR payable at Bangalore** may be address to **Senior Administrative Officer (Purchase), IIHR, Hesaraghatta Lake Post, Bangalore-560089** on or before **bid opening date and time as mentioned in the Critical Date Sheet.**
5. **Please note that only online Bids will be accepted.**
6. Bidders need not to come at the time of Technical as well as Financial bid opening at IIHR. They can view live bid opening after login on CPPP e-procurement portal at their remote end. If any dispute arises, Within Bengaluru Jurisdiction only.
7. The firms are also required to upload copies of the following documents for Technical eligibility and Evaluation:-

• Technical Bid

1. Scanned copy of the documents Registered with PWD/CPWD/MES/Railways.
2. PAN Card copy
3. GST Number with Registration Certificate
4. Bank details of the firm.
5. Scanned copy of Income Tax Returns statement for Financial Year 2019-20, 2020-21, 2021-22
6. Scanned copy of Profit and loss account & Balance Sheet which are audited & duly certified by the Chartered Accountant for Financial Year 2019-20, 2020-21, 2021-22.
7. Turnover of the business should be Rs.48.00 Lakhs per year (2019-20, 2020-21, 2021-22), and Chartered Accountant certified profit or Loss Account ; Balance Sheets to this effect may be enclosed.
8. Scanned copy of work/supply order for having successfully completed similar works during

last 5 years ending last day of month previous to the one in which bids are invited should be either of the following:

- a) Three similar completed works costing not less than Rs.6,42,000/- each
- b) Two similar completed works costing not less than Rs.8,02,000/- each
- c) One similar completed work costing not less than Rs.12,83,000/- each

**9. Exemption of EMD is not provided for MSME or Udyog Aadhar or NSIC Registration firms and other firms.**

10. Signed and scanned copy of Tender acceptance letter (Annexure-V) is mandatory.
11. Latest copies of the GST returns for 6 month(January to June,2023) is to be attached

• **Financial Bid:-**

- a) Price Bid as BOQ XXX.xls
- b) **The estimates is based on latest CPWD-DSR with all updates and correction slips. Firms/Contractors/Bidders should not quote too low or too high. To ensure quality materials, specification and workmanship, any tender with more than (+) or (-) 15% variation over and above or below the basic estimated cost will be summarily rejected.**
- c) **So, the bidders must take due care while quoting.**
- d) **Evaluation criteria: Tender will be awarded to the lowest quoted Firm among those firms qualified in the Technical Bid. In case, two or more firms quote the same amount in r/o all the items work together as a whole, then the tender will be awarded to the Firm which has got more average turnover in the last 3 years, based on IT returns/Profit & Loss account/Turnover duly certified by the CA and uploaded along with Tender through CPP.**

Sd/-

**CHIEF ADMINISTRATIVE OFFICER**

## Annexure-II

### Terms & Conditions

1. The tenderer shall quote rates, which will include the supply, installation & other incidental charges. GST, if any, should be indicated separately.
2. The rates should be quoted as per the BOQ uploaded on the CPP Portal (reference may be obtained from Annexure-III). GST, if any, should be indicated separately. It must be noted that the contract shall be awarded to the firm which fulfils all the required terms and conditions and remains L-I for **Total cost**.
3. The firm must also possess valid PAN No. & GST registration number and a copy of the same must also be enclosed with the tender document.
4. Scanned copy of Income Tax Returns statement for Financial Year 2019-20, 2020-21, 2021-22.
5. Turnover of the business should be **Rs.48.00 Lakhs** per year (2019-20, 2020-21, 2021-22), and Chartered Accountant certified profit or Loss Account ; Balance Sheets to this effect may be enclosed.
6. **Exemption of EMD is not provided for MSME or Udyog Aadhar or NSIC Registration firms and other firms.**
7. Latest copies of the GST returns for 6 month(January to June,2023) is to be attached
8. Modification in the tender documents after the closing date is not permissible.
9. The successful firm shall **commence work** within 10 days from the date of confirmed **work order** and if the work not completed in time then EMD shall be forfeited. The rates quoted shall be valid for one year from the date of opening of tender.
10. The contractor/bidder or his representative may contact the undersigned at **Tel. No. 080-23086100 Extn: 217 & 211** for any further clarification. No variation in terms and quality of the items/specifications shall be entertained or else EMD/Security deposit shall be forfeited.
11. The bidder is advised to visit the site of works at his own expenses and obtain all information that may be necessary for preparing the quotation. Submission of quotation is acceptance by the tenderer that he has inspected the site or he is aware of all conditions.
12. The Director, ICAR-IIHR, shall have the right to reject all or any of the offers, accept more than one offer, and assign part of the job without assigning any reason.
13. Merely quoting of lowest rates does not mean that order shall be given to that firm. The competent authority will finally decide on the basis of quality & performance of past installations.
14. The Firms are required to deposit (in original) an **Earnest Money Deposit of Rs.32,000/-** amount mentioned against item in the form of Demand Draft from any of the Commercial Bank in favour of **THE DIRECTOR, ICAR, UNIT-IIHR payable at Bangalore** may be address to **Senior Administrative Officer (Purchase), IIHR, Hesaraghatta Lake Post, Bangalore-560089 on or before bid opening date and time as mentioned in the Critical Date Sheet**. No quotation shall be considered without the earnest money deposit. Demand draft drawn in favour of any officer other than 'THE DIRECTOR, ICAR UNIT-IIHR payable at Bangalore' will not be accepted and the tender will be rejected. The earnest money will be refunded only after the finalization of the procurement and no interest will be paid on earnest money. The request letter for refund of EMD & performance security is to be submitted by the firm.
15. Rates once finalized will not be enhanced/reduced during the currency of the contract.
16. In case, the successful bidder shows inability at any stage, after the contract is finalized and awarded, for whatsoever reason(s), to honour the contract, the earnest money /performance security deposited would be forfeited.

17. The Director, ICAR-IIHR reserves the right to cancel the contract at any time during the currency period of the contract without giving any reason.
18. The firm, to whom the tender will be awarded, will have to deposit the **performance security equal to 5% of the total quoted amount at which the Tender will be awarded within 21 days from the date of receipt of work order and the same will be retained during the Defect liability period(warranty) of One year. In the sense, for any material and execution defects, the firm has to set right the defects within 10 working days and maintain the said work.** If the services are not found to be satisfactory, the performance security is liable to be forfeited. No interest will be paid on performance security.
19. If any dispute(s) arises between IIHR and the firm with reference to the contract, IIHR will decide it and its decision will be binding on the firms.
20. Bid Validity: 90 days
21. Payment:- No advance or part payment will be given. The payment will be released after satisfactory completion of the work and certificate from the Indentor/Engineer.
22. **The supplier/firm has to submit the GST return for having remitted the GST amount paid by the institute to the concerned authority within 30 days from receipt of payment from IIHR, otherwise their EMD and SD/PS will not be released and such firms shall be blocklisted.**
23. **GST extra as applicable should be indicated separately in the column provided. Otherwise such quotes will be rejected.**

**Payment Terms: In order to facilitate for speedy settlement of payment you are requested to furnish the following details as below:**

1. **Name of the firm:**
2. **Name of the Bank:**
3. **IFSC Code of Bank:**
4. **Name of the Account & Account No.:**
5. **Branch Code:**
6. **Amount to be paid:**
7. **E-mail address of the party:**
8. **GST No. and Pan No. Copies**

‘Terms & Conditions are acceptable’

Dated

(Authorized signatory of the firm)

**Construction of passage for internal movement between Seed Unit I (new building) to old Seed unit building, Repair and renovation to windows and ventilators at old Seed Unit, & Providing Vacuum Dewatered Flooring for Seed Unit threshing floor at ICAR-IIHR Bangalore**

(Reference for BOQ) (To be quoted in format provided on CPP Portal) at ICAR-IIHR, Bangalore.

Sl. No.	Name of item	Quantity	Per unit price* (in figures/words) (as per BOQ)
01	<b>Construction of passage for internal movement between Seed Unit I (new building) to old Seed unit building, Repair and renovation to windows and ventilators at old Seed Unit, &amp; Providing Vacuum Dewatered Flooring for Seed Unit threshing floor at ICAR-IIHR Bangalore</b>	01 Unit	

\*Annexure-VIII

- Items should be of reputed make and suitable for high end elite users
- **GST extra as applicable should be indicated separately in the column provided. Otherwise such quotes will be rejected.**
- **ICAR-IIHR Bangalore.**

**Note:** The above mentioned Financial Proposal/Commercial bid format is provided as BoQ\_XXXX.xls along with this tender document at <https://eprocure.gov.in/eprocure/app>. Bidders are advised to download this BoQ\_XXXX.xls as it is and quote their offer/rates in the permitted column and upload the same in the Financial bid. **Bidder shall not tamper/modify downloaded price bid template in any manner.** In case if the same is found to be tempered/modified in any manner, tender will be completely rejected and EMD would be forfeited and tenderer is liable to be banned from doing business with IIHR.

**Annexure-IV**

EPABX: 080-23086100 Extn: 218 & 217  
FAX: 080-28466291 - Email: purchase.iihr@icar.gov.in



**ICAR-INDIAN INSTITUTE OF HORTICULTURAL RESEARCH**  
**HESSARAGHATTA LAKE POST, BANGALORE-560 089**

Name of the Firm \_\_\_\_\_

Registered/Postal Address \_\_\_\_\_

1	Permanent Account Number (PAN)	
2	GST Registration No.	
3	Bank Details	
a	Bank Name	
b	Branch Address	
c	Account Number	
d	Type of account (current/saving) MICR No.	
e	IFSC Code	

Date:

Name of the Authorized Signatory

Place:

Stamp & Signature

**TENDER ACCEPTANCE LETTER**  
(To be given on Company Letter Head)

**Date:**

To,  
The Director,  
ICAR-IIHR,  
Hesaraghatta Lake Post,  
Bangalore-560089.

Sub: Acceptance of Terms & Conditions of Tender.

Tender Reference No. \_\_\_\_\_

Name of Tender/Work:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Dear Sir,

- 1. I/ We have downloaded/obtained the tender document(s) for the above mentioned 'Tender/work' from the web site(s) namely:

\_\_\_\_\_

As per your advertisement, given in the above mentioned website(s).

- 2. I/We hereby certify that I/We have read the entire terms and conditions of the tender documents from Page No. \_\_\_\_\_ to \_\_\_\_\_ (including all documents lime annexure(s), schedule(s), etc...) which form part of the contract agreement and I/We shall abide hereby the terms/conditions/clauses contained therein.
- 3. The corrigendum(s) issued from time to time by your department/organization too have also been taken into consideration, while submitting this acceptance letter.
- 4. I/we hereby unconditionally accept the tender conditions of above mentioned tender documents/corrigendum(s) in its totality/entirely.
- 5. I/we do hereby declare that our Firm has not been black-listed/debarred by any Govt. Department/Public sector undertaking.
- 6. I/we certify that all information furnished by our Firm is true & correct and in the event that the information is found to be incorrect/untrue or found violated, then your department/organization shall without giving any notice or reason therefore or summarily reject that bid or terminate the contract, without prejudice to any other rights or remedy including the forfeiture of the full said earnest money deposit absolutely.

Yours Faithfully,

(Signature of the Bidder, with Official Seal)



**INSTRUCTIONS FOR ONLINE BID SUBMISSION**

The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at <https://eprocure.gov.in/eprocure/app>.

**REGISTRATION**

- Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL <https://eprocure.gov.in/eprocure/app>.) by clicking on the link ‘**Online bidder Enrollment**’ on the CPP Portal which is free of charge.
- As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (class II or Class III certificates with signing key usage) issued by any certifying authority recognized by CCA India (e.g. Sify/nCode/eMudhra etc.) with their profile.
- Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC’s to others which may lead to misuse.
- Bidder then logs in to the site through the secured log-in by entering their users ID/password and the password of the DSC/e-Token.

**SEARCHING FOR TENDER DOCUMENTS**

- There are various search options built in the CPP Portal. To facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- Once the bidders have selected the tenders they are interested in, they may download the required documents/tender schedules. These tenders can be moved to the respective ‘My Tenders’ folder. This would enable the CPP Portal to intimate the bidders through SMS/e-mail in case there is any corrigendum issued to the tender document.
- The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification/help from the Helpdesk.

**PREPARATION OF BIDS**

- **Bidder are requested to visit the site at the institute and discuss with ACTO(Works), ICAR-IIHR, Bangalore before preparing the bid clarify the doubts and understand the requirements.**
- Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents- including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document/schedule and generally, they can be in PDF/XLS/RAR/DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
- To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use 'My Space' or 'Other important Documents' area available to them to upload such documents. These documents may be directly submitted from the 'My Space' area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

## **SUBMISSION OF BIDS**

- Bidder should log into the site will in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other technical issues.
- The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- Bidder has to select the payment option as 'offline' to pay the tender fee/EMD as applicable and enter details of the instrument.
- Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise the uploaded bid will be rejected.
- Bidders are requested to note that they should necessarily submit their financial bids in the Format provided and no other format is acceptable. If the price bid has been given as a standard BoQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cell with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If

the BoQ file is found to be modified by the bidder, the bid will be rejected.

- The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric, encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/bid openers public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- Upon the successful and timely submission of bids (i.e. after clicking 'Freeze Bid Submission' in the portal), the portal will give a successful bid submission message and a bid summary will be displayed with the bid no. and the date and time of submission of the bid with all other relevant details.
- The bid summary has to be printed and kept as an acknowledgement of the submission of the bid.

#### **ASSISTANCE TO BIDDERS**

- Any queries relating to the tender documents and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contract person indicated in the tender.
- Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk.

\*\*\*\*\*

**Annexure-VII**

Details of Works & EMD

Sl. No.	Purchase of item	Qty	Earnest Money in INR	File. No. for reference
01	<b>Construction of passage for internal movement between Seed Unit I (new building) to old Seed unit building, Repair and renovation to windows and ventilators at old Seed Unit, &amp; Providing Vacuum Dewatered Flooring for Seed Unit threshing floor at ICAR-IIHR Bangalore</b>	01 UNIT	Rs.32,000/-	F.No.5-48/2023-24/SP/IIHR

Note: EMD defined on to the Portal is MINIMUM. Bidder has to submit the EMD as per item for which quoting for.

\* **ICAR-IIHR Bangalore.**

**\*\* Exemption of EMD is not provided for MSME or Udyog Aadhar or NSIC Registration firms and other firms**

**Annexure-VIII**

**Construction of passage for internal movement between Seed Unit I (new building) to old Seed unit building, Repair and renovation to windows and ventilators at old Seed Unit, & Providing Vacuum Dewatered Flooring for Seed Unit threshing floor at ICAR-IIHR Bangalore.**

<b>Construction of passage for internal movement between Seed Unit I (new building) to old Seed unit building</b>			
<b>No</b>	<b>Details</b>	<b>Unit</b>	<b>Qty</b>
1	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge. All kinds of soil For wall foundation	Cum	11
2	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:5:10 (1 cement : 5 coarse sand (zone-III) derived from natural sources : 10 graded stone aggregate 40 mm nominal size derived from natural sources) for wall foundation, flooring and plinth protection	Cum	08
3	rubble masonry with hard stone in foundation and plinth including levelling up with cement concrete (1 cement : 6 coarse sand : 12graded stone aggregate 20 mm nominal size) upto plinth level with mortar 1:6 (1 cement : 6 coarse sand)	Cum	13
4	Centering and shuttering including strutting, propping etc. and removal of form for For Plinth slab and lintel	Sqm	09
5	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level and above plinth level , Thermo-Mechanically Treated bars of grade Fe-500D or more For plinth beam For lintel beam	Kg Kg	100 75
6	Providing and constructing concrete block masonry using 150x200x400 mm solid core compact concrete block (Grade C - 50Kg/Cm <sup>2</sup> ) in CM 1:6 including all scaffolding, curing, etc. complete For walls	Sqm	50
7	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources) Plinth slab	Cum	0.5
8	Reinforced cement concrete work in lintel beams, chajja and roof above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarses and(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources) For lintel	Cum	01

9	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 40 mm nominal size derived from natural sources)	Cum	0.50
10	Providing Cement plaster 1:3 (1 cement: 3 coarse sand) finished with a floating coat of neat cement. 12 mm cement plaster	Sqm	130
11	Providing and applying white cement-based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. (Asian Tractor / Jonson Nicholson / Berger)	Sqm	48
12	Applying one coat of water-thinnable cement primer of approved brand and manufacture on wall surface Water-thinnable cement primer	Sqm	65
13	Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. Two coats (Asian Tractor / Jonson Nicholson / Berger )	Sqm	30
14	Finishing walls with Acrylic Smooth exterior paint of required shade New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm) (Asian Tractor / Jonson Nicholson/Berger)	Sqm	35
15	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, etc. complete. Hot finished welded type tubes, for roof truss , window grills	Kgs	450
16	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture (Asian Tractor / Jonson Nicholson/Berger)	Sqm	25
17	Providing and fixing in position 60mm thick factory made sandwiched puf panels between two Engineered sheets of pre-coated profiles sheet of 0.45mm (+0.50%) with plain on one side and corrugated on the other side both the sides total coated thickness with zinc coating 120grams per sqm as per IS:277, in 240mpa steel grade 57 microns epoxy primer on both side of the sheet and polymer tp coat 15-18microns, sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation .The sand witch panel core shall consist of 50mm thick puf of density not less than 40 kg/ per cum (+/-2).Fixing operations of wall panels shall be completed in all respect as per drawings and specifications and under the over all direction of the Engineer incharge	Sqm	36
18	Banking excavated earth in layers not exceeding 20 cm in depth, breaking clods, watering, rolling each layer with ½ tonne roller, or wooden or steel rammers, and rolling every 3rd and top-most layer with power roller of minimum 8 tonnes and dressing up, in embankments for roads, flood banks, marginal banks, and guide banks etc., lead upto 50 m and lift upto 1.5 m all kinds of soil	Cum	09

19	Providing and fixing factory made uPVC white colour sliding glazed window upto 1.50 m in height dimension comprising of uPVC multi-chambered frame with in-built roller track and sash extruded profiles duly reinforced with 1.60 ± 0.2 mm thick galvanized mild steel section made from roll forming process of required length (shape & size according to uPVC profile), appropriate dimension of uPVC extruded glazing beads and uPVC extruded interlocks, EPDM gasket, wool pile, zinc alloy (white powder coated) touch locks with hook, zinc alloy body with single nylon rollers (weight bearing capacity to be 40 kg), G.I fasteners 100 x 8 mm size for fixing frame to finished wall and necessary stainless steel screws etc. Profile of frame & sash shall be mitered cut and fusion welded at all corners, including drilling of holes for fixing hardware's and drainage of water etc. After fixing frame the gap between frame and adjacent finished wall shall be filled with weatherproof silicon sealant over backer rod of required size and of approved quality, all complete as per the approved drawing & direction of the Engineer-in-Charge. (Single/double glass panes, wire mesh and silicon sealant shall be paid separately). Variation in profile dimension in higher side shall be accepted but no extra payment on this account shall be made. Three track three panels sliding window with fly proof SS wire mesh (Two nos. glazed & one no. wire mesh panels) made of (small series) frame 92 x 44 mm & sash 32 x 60mm both having wall thickness of 1.9 ± 0.2 mm and single glazing bead of appropriate dimension (Area of window upto 1.75 sqm	Sqm	04
20	Providing and fixing pre-coated galvanised steel sheet roofing accessories 0.50 mm + 0.05 % total coated thickness, Zinc coating 120gsm as per IS: 277 in 240 mpa steel grade, 5-7 microns epoxy both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete tiled shaped as per approved sample for roof	Sqm	7.50
21	Supplying and fixing Stone slab 3 inch thick of suitable size as required at site including laying	Sqm	05
22	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge In cement mortar	Cum	01
23	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in-charge.	Cum	0.10
24	Extra for cutting reinforcement bars manually/ by mechanical means in R.C.C. or R.B. work (Payment shall be made on the cross sectional area of R.C.C. or R.B. work) as per direction of Engineer-in-charge	Sqm	01
25	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead : Of area 3 sq. metres and below	Each	01
<b>Repairs and renovation to windows and ventilators at old Seed Unit</b>			
26	Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead : Of area 3 sq. metres and below, including cutting grinding and finishing the cut portion	Each	52
27	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, etc. complete. Hot finished welded type tubes, for window grills	Kgs	335

28	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture (Asian Tractor / Jonson Nicholson/Berger)	Sqm	17
29	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade : One or more coats on old work	Sqm	02
30	<p>Providing and fixing factory made uPVC white colour sliding glazed window upto 1.50 m in height dimension comprising of uPVC multi-chambered frame with in-built roller track and sash extruded profiles duly reinforced with 1.60 ± 0.2 mm thick galvanized mild steel section made from roll forming process of required length (shape &amp; size according to uPVC profile), appropriate dimension of uPVC extruded glazing beads and uPVC extruded interlocks, EPDM gasket, wool pile, zinc alloy (white powder coated) touch locks with hook, zinc alloy body with single nylon rollers (weight bearing capacity to be 40 kg), G.I fasteners 100 x 8 mm size for fixing frame to finished wall and necessary stainless steel screws etc. Profile of frame &amp; sash shall be mitred cut and fusion welded at all corners, including drilling of holes for fixing hardware's and drainage of water etc. After fixing frame the gap between frame and adjacent finished wall shall be filled with weatherproof silicon sealent over backer rod of required size and of approved quality, all complete as per the approved drawing &amp; direction of the Engineer-in-Charge. (Single/double glass panes, wire mesh and silicon sealent shall be paid separately). Variation in profile dimension in higher side shall be accepted but no extra payment on this account shall be made.</p> <p>Three track three panels sliding window with fly proof S.S wire mesh (Two nos. glazed &amp; one no. wire mesh panels) made of (big series) frame 116 x 45 mm &amp; sash 46 x 62 mm both having wall thickness of 2.3 ± 0.2 mm and single glazing bead / double glazing bead of appropriate dimension. (Area of window above 1.75 sqm).</p>	Sqm	20
31	Providing and fixing aluminium work for ventilators with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) : Powder coated aluminium (minimum thickness of powder coating 50 micron) as per approved colour	Kgs	45
32	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 4.0 mm thickness (weight not less than 10kg/sqm)	Sqm	09
<b>Providing Vacuum Dewatered Flooring for Seed Unit threshing floor</b>			
33	Providing and laying C.C. pavement of mix M-25 with ready mixed concrete from batching plant. The ready mixed concrete shall be laid and finished with screed board vibrator , vacuum dewatering process and finally finished by floating, brooming with wire brush etc. complete as	Cum	48



	per specifications and directions of Engineer-incharge. (The panel shuttering work shall be paid for separately).		
34	Centering and shuttering including strutting, propping etc. and removal of form for floor VDF flooring	Sqm	13.5
35	Making grooves of size 6mm x 20mm in CC pavement and filling the grooves with bitumen sealant etc., complete all as directed by the Engineer incharge	Rmt	825
36	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete for floors Thermo-Mechanically Treated bars of grade Fe-500D or more.	Kg	1,216

**Sd/-  
CHIEF ADMINISTRATIVE OFFICER**