

केन्द्रीय बागवानी परीक्षण केन्द्र CENTRAL HORTICULTURAL EXPERIMENT STATION

(ICAR-Indian Institute of Horticultural Research, Bengaluru)
ISO 9001:2015 INSTITUTE

(भा.कृ.अनु.प.-भारतीयबागवानीअनुसंधानसंस्थान, बेंगलुरु)

DARE, Ministry of Agriculture and Farmers Welfare, Govt. of India

Aiginia, Bhubaneswar - 751 019, Odisha

Phone: 0674 - 2471712 / 2471867

Email: chesb.iihr@icar.gov.in

STANDARD BIDDING DOCUMENTS FOR ICAR

Name of the Work:

MAKING OF BRICK WALL FOR COVERING OF SHED AREA ADJACENT TO FARMERS FACILITATION ROOM UNDER MIDH SEEDS PROEJCT

Due Date for Quotation Submission: 19.07.2024 at 14.00 Hrs Date of opening of quotation: 19.07.2024 at 15.00 Hrs.

P.S.: Please return this original document failing which the quotation shall be ignored



केन्द्रीय बागवानी परीक्षण केन्द्र CENTRAL HORTICULTURAL EXPERIMENT STATION

(ICAR-Indian Institute of Horticultural Research, Bengaluru)
ISO 9001:2015 INSTITUTE

(भा.कृ.अनु.प.-भारतीयबागवानीअनुसंधानसंस्थान, बेंगलुरु)

DARE, Ministry of Agriculture and Farmers Welfare, Govt. of India

Aiginia, Bhubaneswar - 751 019, Odisha

Phone: 0674 - 2471712 / 2471867 Email: chesb.iihr@icar.gov.in

F.No. @Qk-la-	Dt.05 /07/2024	
सेवा में/To		
	M/s	
विषय/ Sub:	LIMITED TENDER INVITED FOR MAKING OF BRICK WALL FOR CO ADJACENT TO FARMERS FACILITATION ROOM UNDER MIDH SEE	

महोदय/Sir,

Limited Tenders are invited for MAKING OF BRICK WALL FOR COVERING OF SHED AREA ADJACENT TO FARMERS FACILITATION ROOM under MIDH SEEDS Project as indicated below, quotation for which will be opened at 15.00 hrs on 18.07.2024 and you are invited to submit your most competitive quotation on or before 18.07.2024 BY 14.00 hours for the same. All the relevant details are given below:

- i) DETAILS SPECIFICATION ENCLOSED:
- ii)Terms of Execution of work:.

Place of construction at site viz. AT CHES, BHUBANSWAR

- iii. Price Structure
- a) The agencies/firms shall quote for the complete requirement for construction of "MAKING OF BRICK WALL FOR COVERING OF SHED AREA ADJACENT TO FARMERS FACILITATION ROOM shown against a serial number in the list of requirements in Annexure-I, the agencies/contractors are however free not to quote against all the serial numbers mentioned in the List of Requirements (in case there are more than one serial number in the List of Requirements). The rates and prices quoted by the agencies/contractors shall remain firm and fixed during the currency of the contract and shall not be subject to variation on any account. Whatsoever, including statutory variations, if any
- 02) The agency/contractor is advised to inspect the site and its surrounding and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil, the firm and nature of the site, the means of access to the site, and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or effect their tender. The agency/contractor shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent upon any misunderstanding or otherwise shall be allowed. The agency/contractor shall be responsible for arranging and maintaining at his own cost all materials, tools and plants, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a quotation by a agency/contractor implies that he has read this notice and all other contract documents and has made himself aware of the scope and specification of the work to be done and all the stores, tools and plant, etc. to be arranged by him by the Government and local conditions and other factors having a bearing on the execution of the work
- 03) The contractor/agency has to arrange water and electricity at their own cost.
- 04) Income tax at the rate of 2% & TDS on GST as applicable will be deducted from the bill of the executing agency/contractor.
- 05) The Competent Authority on behalf of the Director, ICAR-IIHR, Bengaluru does not bind himself to accept the lowest or any other quotation, and reserves right to reject any or all of the quotation received without assigning any reasons. All tenders, in whom any of the prescribed conditions are not fulfilled or are incomplete in any respect, are liable to be rejected.

- 06) The competent Authority on behalf of the Director, ICAR- IIHR reserves right of accepting the whole or any part of the quotation and the agency/quotation shall be bound to accept the same at the rate quoted.
- 07) The quotation for the works shall remain open for acceptance for a period of 180 days from the date of opening of quotations.
- 08) GST, Purchase tax, turnover tax or any other tax on material in respect of this contract shall be payable by the agency/contractor and ICAR-IIHR- CHES, BBSR will not entertain any claim whatsoever in respect of the same.
- 09) The successful agency/contractor have to complete the work as detailed in the schedule to quotation based on the work order.
- 10) The Station will not be responsible for any loss or damage in transit. Insurance if any require has to be done by the Agency/Contractor at his own cost.
- 11) Materials to be purchased and test for various items of works to be carried out as per CPWD/State PWD specifications or ISI standard. The work is to be carried out under the supervision of Scientists In-Charge/PI, MIDH Seeds Project of this Station.
- 12) TIME OF COMPLETION OF WORK-7 days TO BE ADHERED STRICTLY.
- 13) Payment will be arranged only after satisfactory completion of work/Certification and approval by the Competent Authority. No advance/part payment will be made.
- 14) The agency/contractor has to deposit 10% of the total cost of the Project as Performance Security Deposit, which shall be released on receipt of request letter from the contractor/agency after "Defects Liability Period (Six month) is completed.
- 15) The agency/contractor to whom work has been awarded will be the principal employer for the labour force. The Station will have no liability in this regard.
- 16) Implements/materials required for the above work should be provided by the contractor/agency. The firm has to make their own arrangements for accommodation/food of the labourers. The firm shall pay all compensations etc. including accident compensations due to their labourers. The Station will not be responsible for any claim by the labourers engaged by the firm.
- 17) Arbitration for all disputes between the agency and the Station in connection with the works shall be referred to the sole Arbitrator so appointed shall be final and binding on both the parties. Only courts in Bhubaneswar shall have jurisdiction over any suit arising out of this transaction.
- 18) You have to submit the proof of Contractor license/Registration Certificate, Income tax clearance Certificate, GST Registration, PAN Card copy with copy of Experience Certificate along with the following information:

01.Name of the Firm/Contractor:02.Name of the Bank:

03. IFSC Code of Bank
04. Name of Account and Account Number

05. Branch Name &Branch Code :

06. TIN NUMBER

07. GST REGISTRATION NUMBER :

08. MOBILE NO. and E-mail address, if any :

- 19) Before the execution of the work, they agency/contractor has to enter into an agreement with the Station.
- 20) The quotation addressed to the HEAD, CENTRAL HORTICULTURAL EXPERIMENT STATION, AIGINIA, BHUBANESWAR: 751019, should reach on or before Dt. 19.07.2024 by 02.00 P.M. by post/by hand in a sealed cover super scribing quotation for the MAKING OF BRICK WALL FOR COVERING OF SHED AREA ADJACENT TO FARMERS FACILITATION ROOM UNDER MIDH SEEDS PROJECT. Due date of opening Dt.19.07.2024 at 3.00 PM.
- 21) The under signed reserves the right to cancel/reject the work order/quotation/contract at any time without assigning any reasons thereof.

Encl: Annexure-I

CENTRAL HORTICULTURAL EXPERIMENT STATION <u>AIGINIA, BHUBANESWAR-751019.</u>

Annexure-I

NAME OF THE WORK: Making of brick masonary wall for covering of shed house

Place of installation: AT CHES, BHUBANESWAR

Sl.No	Description of items	Qty	Unit	Rate (Rs.)	Amount(Rs.)
1	Brick work with clay fly ash F.P.S. (non modular) brick of class	Qij	Cint	rate (1451)	7 mount (1431)
	designation 7.5 in superstructure above plinth level up to floor five				
	level in :Cement mortar 1:4 (1 cement : 64coarse sand). (item				
	code:6.32:1)				
	11.60m x 1.70m x 0.25m	4.93	M3		
2	20 mm cement plaster of mix :1:4 (1 cement: 4 coarse sand) (item				
	code:13.6.1)				
	2 x11.60m x 1.70m	39.44	M2		
3	Finishing walls with Acrylic Smooth exterior paint of required shade				
	:New work (Two or more coat applied @ 1.67 ltr/10 sqm over and				
	including priming coat of				
	exterior primer applied @ 2.20 kg/10 sqm) (item code:13.46.1)				
	11.60m x 3.20m	37.12	M2		
4	Finishing with Deluxe Multi surface paint system for interiors and				
	exteriors using Primer as per				
	manufacturers specifications :Two or more coats applied on walls @				
	1.25 ltr/10 sqm over and including one coat of Special primer applied				
	@ 0.75 ltr/10 sqm. (item				
	code:13.48.1)				
	11.60m x 3.20m	37.12	M2		
5	Providing and applying white cement based putty of average	37.12	M2		
	thickness 1 mm, of approved brand and manufacturer, over the				
	plastered wall surface to prepare the surface even and smooth				
	complete.(item				
	code:13.80)				
6	Providing and fixing factory made single extruded WPC (Wood	5.4	m		
	Polymer Composite) solid				
	door/window/clerestory windows & desertory other				
	Frames/Chowkhat comprising of virgin PVC polymer of K value 58-				
	60 (Suspension Grade), calcium carbonate and natural fibers (wood				
	powder/ rice husk/wheat husk) and non toxic additives (maximum				
	toxicity index of 12 for 100 gms) fabricated with miter joints after				
	applying PVC solvent cement and screwed with full body threaded				
	star headed SS screws having minimum frame density of 750 kg/				
	cum, screw withdrawal strength of 2200 N (Face) & 1100 N (Edge),				
	minimum compressive strength of 58 N/mm2, modulus of elasticity 900 N/mm2 and resistance to spread of flame of Class A category				
	with				
	property of being termite/borer proof, water/moisture proof and fire retardant and fixed in position with				
	M.S hold fast/lugs/SS dash fasteners of required dia and length				
	complete as per direction of Engineer-In-Charge. (M.S hold fast/lugs				
	or SS dash fasteners shall be paid for separately). Frame size 65 x				
	100 mm. (item code:26.86.5)				
7	Providing and fixing factory made sngle extruded WPC solid plain				
,	flush door shutter of required size comprising virgin polymer as per				
	the direction. (35mm thickness)		1		

8	P/F factory made uPVC white colour sliding glazed window upto 1.50 m in height dimension comprising of uPVC multi-chambered frame with in-built roller track and sash extruded profiles duly reinforced with 1.60 ± 0.2 mm thick galvanized mild steel section made from roll forming process of required length (shape & size according to uPVC profile), appropriate dimension of uPVC			
	extruded glazing beads and uPVC extruded interlocks, EPDM			
	gasket, wool pile, zinc alloy (white powder coated) touch locks with			
	hook, zinc alloy body with single nylon rollers (weight bearing capacity to be 40 kg), G.I fasteners 100 x 8 mm size for fixing frame			
	to finished wall and necessary stainless steel screws etc. Profile of			
	frame & sash shall be mitred cut and fusion welded at all corners,			
	including drilling of holes for fixing hardware's and drainage of			
	water etc. After fixing frame the gap between frame and adjacent			
	finished wall shall be filled with weather proof silicon sealent over backer rod of required size and of approved quality, all complete as			
	per approved drawing & direction of Engineer-in-Charge.			
	(Single/double glass panes, wire mesh and silicon sealent shall be			
	paid separately). Variation in profile dimension in higher side shall			
	be accepted but no extra payment on this account shall be made.			
	Three track three panels sliding window with fly proof SS			
	wire mesh (Two nos. glazed & one no. wire mesh panels)	4.00	1/10	
9	2 x 1.20m x 2.00m Providing and fixing glazing in aluminium door, window, ventilator	4.80	M2	
9	shutters and partitions etc. with EPDM rubber /neoprene gasket etc.			
	complete as per the architectural drawings and the directions of			
	engineer-in-charge. (Cost of aluminium snap beading shall be paid in			
	basic item): With float glass panes of 5 mm thickness (weight not less			
	than 12.50 kg/sqm). (item code:21.3.2)			
	2 x 1.20m x 2.00m	4.80	M2	
10	Additional if any (pl. specify)			
	Total			

Rate quoted should be <u>inclusive</u> of all i.e. labour charges, transport charges, taxes, earth work or any other essential indispensible expenses thereof, etc. beyond the above specifications and accessories (to be indicated separately).

SIGNATURE WITH SEAL

We agree to supply the above goods and allied services. We confirm that the same will meet the description, specification and other technical details as required in the enquiry
We confirm that we agree to all other terms and conditions of your tender enquiry including the terms of delivery, period of delivery and warranty provision.
We have furnished all the information, as required in the tender enquiry and attached the relevant documents.
(in case a tenderer desires to put some additional / modified stipulations, terms and conditions etc., the same may be clearly indicated).
We confirm that our offer will remain valid for acceptance for days after the date of opening of tenders.
Signature, name and designations of the authorized executive of the tendering firm)
For and on behalf of
(Name and address of the tendering firm)
(Seal of the tendering firm)

DATED:

PLACE: